









RS - Roller Shutter
71 SERIES


PROFILE NO.	PICTURE OF PROFILE	WEIGHT (KG/M)	THICKNESS	PACKING IN BUNDLE (PCS)
			AREA PERIMETER	
RS 7101		0.347	0.90 MM 270.567 MM	10
RS 7101 D		0.360	1.00 MM 266.040 MM	10
RS 7101 G		0.407	1.15 MM 262.706 MM	10
RS 7101 J		0.466	1.30 MM 266.357 MM	10
RS 7102		0.798	2.00 MM 309.440 MM	4
RS 7104		1.250	1.50 MM 404.732 MM	3
RS 7105		0.465	1.45 MM 219.057 MM	8

RS 7101, 7102 & 7105 length which is 4.34 M, 4.88 M, 5.49M & 6.1M for RS Series


RS 7104 length which is 5.49 M & 6.10 M for RS Series




RS 7101
0.347 Kg/M
AP : 270.567 MM




RS 7101 D
0.360 Kg/M
AP : 266.040 MM




RS 7101 G
0.407 Kg/M
AP : 262.706 MM




RS 7101 J
0.466 Kg/M
AP : 266.357 MM



RS 7102
0.798 Kg/M
AP : 309.440 MM



RS 7104
1.250 Kg/M
AP : 404.732 MM





RS 7105
0.465 Kg/M
AP : 219.057 MM

aluminium profiles component usage

Roller Shutter - RS 71 Series

ASSEMBLY DRAWING



BP Aluminium Extrusion Sdn. Bhd.

**No.15 & 16, 1C KKIP Selatan, Industrial Zone 2, KKIP,
88450, Jalan Sepanggar, Menggatal.**

t : 60-88-499333, 499111 f : 60-88-499222

b_p_a_e@yahoo.com